

To: Berkoff, Michael[berkoff.michael@epa.gov]
Cc: Jenn (jovervoorde@brwncald.com)[jovervoorde@brwncald.com]; Forney, Jim[jforney@wm.com]
From: Mazor, Phil
Sent: Tue 3/6/2018 7:17:19 PM
Subject: FW: State Disposal Landfill/Plainfield Township Wells Site
2-14-18 Ltr to Robert Franks re State Disposal Landfill.pdf

Mike

I have attached the correspondence with the MDEQ regarding the revised work plan (February 2018) for the proposed VAS sampling for the State Disposal site.

Jennifer Overvoorde had sent me your email to her requesting this information. May I ask that in the future, if you are requesting information to be sent to you, that I am copied on your requests.

If you have any questions, please do not hesitate to contact me.

Respectfully,

Phil Mazor
District Manager

State Disposal Landfill

From: Ferroli, John [mailto:JFerroli@dykema.com]
Sent: Wednesday, February 14, 2018 1:22 PM
To: FRANKSR1@michigan.gov
Cc: Forney, Jim <jforney@wm.com>; Mazor, Phil <pmazor@wm.com>;
KLINED@michigan.gov; Alfano, Judith (DEQ) (ALFANOJ@michigan.gov)
<ALFANOJ@michigan.gov>; bowlingd@michigan.gov
Subject: [EXTERNAL] State Disposal Landfill/Plainfield Township Wells Site

Mr. Franks:

See the attached correspondence regarding the subject site.

John



John A. Ferroli
Member
jferroli@dykema.com

855-260-7258 Fax

300 Ottawa Avenue, N.W., Suite 700
Grand Rapids, MI 49503
616-776-7542 Direct

333 South Grand Avenue,
Suite 2100
Los Angeles, CA 90071

213-457-1742 Direct

*** Notice from Dykema Gossett PLLC: This Internet message may contain information that is privileged, confidential, and exempt from disclosure. It is intended for use only by the person to whom it is addressed. If you have received this in error, please (1) do not forward or use this information in any way; and (2) contact me immediately. Neither this information block, the typed name of the sender, nor anything else in this message is intended to constitute an electronic signature unless a specific statement to the contrary is included in this message.